Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 1/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Productname | Kelfort ® Chemisch anker |
|----------------|---|
| Article number | 1516429 |
| Producttype | Mixture |
| Regulation | (EC) No. 1907/2006 and (EC) No. 1272/2008 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Recommended use | Adhesive Building and construction work |
|----------------------|---|
| Uses advised against | None known. |

1.3 Details of the supplier of the safety data sheet

Distributeur Ferney Group BV Postbus 24 1700 AA Heerhugowaard – The Netherlands T +31 (0)72-5765000 - F +31 (0)72-5765010 bedrijfsbureau@ferneygroup.nl - www.ferney.nl

1.4 Emergency telephone number

Noodtelefoon: +49(0)9366-907126 (ma-do 7.15-18.00 hour) or

: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government

institutions)

| Country | Organisation/ Company | Address | Emergency number | Comments |
|--------------------|---|--|------------------|--|
| The Netherlands | National Poisons Information Center | House post number B.00.118 PO Box 85500 3508 GA Utrecht | +31 88 755 80 00 | For the sole purpose of informing healthcare professionals in the event of acute poisoning |

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 2/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| Skin corrosion/irritation | Category 2 - (H315) |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | Category 2 - (H319) |
| Skin sensitisation | Category 1 - (H317) |
| Chronic aquatic toxicity | Category 3 - (H412) |

2.2. Label elements

Contains 2-Hydroxyethyl methacrylate



Signal word Warning

Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 3/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No (EU Index No) | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--------------------------------|---------------------------------|------------|----------|---|--|---------------------------------|
| Quartz | 238-878-4 | 14808-60-7 | 40 - <80 | [B] | | [5] |
| 2-Hydroxyethyl methacrylate | (607-124-00- X) 212-782-2 | 868-77-9 | 10 - <20 | Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) | • | 01-2119490169- 29-xxxx |
| Vinyl Toluene | 246-562-2 | 25013-15-4 | 5 - <10 | Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) Flam Liq. 3 (H226) Aquatic Chronic 2 (H411) | | 01-2119622074- 50-xxxx |

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

| Chemical name | Notes |
|--|-------|
| 2-Hydroxyethyl methacrylate - 868-77-9 | D |

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 4/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

Product is or contains a sensitiser. May cause sensitisation by skin contact.

chemical

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 5/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. This product is part of a kit.

Please also refer to the SDS for the other component(s) of the kit.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

7.3. Specific end use(s)

Specific use(s)

Adhesive. Building and construction work.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 6/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

| Chemical name | European Union | United Kingdom |
|---------------|----------------------------|-----------------------------|
| Quartz | TWA: 0.1 mg/m ³ | TWA: 0.1 mg/m ³ |
| 14808-60-7 | | STEL: 0.3 mg/m ³ |

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | |
|--|----------------|-----------------------------------|---------------|
| Quartz (14808-60-7) | | | |
| 2-Hydroxyethyl methacrylate (8 | 368-77-9) | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 4.9 mg/m³ | |
| worker Long term Systemic health effects | Dermal | 1.3 mg/kg bw/d | |

| Derived No Effect Level (DNEL) | | | |
|--|----------------|-----------------------------------|---------------|
| 2-Hydroxyethyl methacrylate (| 868-77-9) | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Inhalation | 2.9 mg/m³ | |
| Consumer Long term Systemic health effects | Dermal | 0.83 mg/kg bw/d | |
| Consumer Long term Systemic health effects | Oral | 0.83 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC)

| Predicted No Effect Concentration (PNEC) | |
|--|--|
| 2-Hydroxyethyl methacrylate (868-77-9) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.482 mg/l |
| Marine water | 0.482 mg/l |
| Sewage treatment plant | 10 mg/l |
| Soil | 0.476 mg/kg dry weight |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

: 25-06-2024 Date VVFK(E): 01/1516429

: A Rev : 7/15 **Page**



Bekrachtigd door: SL Opgesteld door: NB

Tight sealing safety goggles. Eye/face protection Skin and body protection Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid Physical state Paste Appearance Colour Cream Odour Characteristic.

Odour threshold No information available

Remarks • Method

No data available Melting point / freezing point None known Initial boiling point and boiling No data available None known

Flammability

No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

range

Lower flammability or explosive No data available

limits

Flash point No data available None known Autoignition temperature No data available None known Decomposition temperature None known No data available

Insoluble in water. pН pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

No data available Dynamic viscosity Insoluble in water. Water solubility

None known Solubility(ies) No data available None known No data available Partition coefficient None known No data available None known Vapour pressure Relative density No data available None known

No data available **Bulk Density** 1.60 - 1.80 g/cm³ Density

No data available None known Relative vapour density

Particle characteristics

No information available Particle Size **Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

No data available VOC content

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 8/15



Opgesteld door: NB Bekrachtigd door: SL

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

None.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 9/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 15.80 mg/l ATEmix (inhalation-vapour) 115.50 mg/l

Component Information

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 10/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------|-----------------------------|---------------------------|-------------------------------------|
| Quartz | >2000 mg/kg (Rattus) | - | |
| 2-Hydroxyethyl methacrylate | =5050 mg/kg (Rattus) | > 3000 mg/kg (Oryctolagus | - |
| | | cuniculus) | |
| Vinyl Toluene | =2000 - 5000 mg/kg (Rattus) | > 5 mL/kg (Rabbit) | > 16891 mg/m ³ (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Note: PC-ADH-8 Multi-component adhesives and sealants This product is part of a kit Please

also refer to the SDS for the other component(s) of the kit

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 11/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|-----------------------------|---|---|----------------------------|--|----------|-------------------------|
| 2-Hydroxyethyl | - | LC50: 213 - | - | - | | |
| methacrylate 868-77-9 | | 242mg/L (96h, Pimephales promelas) LC50: =227mg/L (96h, Pimephales promelas) | | | | |
| Vinyl Toluene 25013-15-4 | LC50 (72h) =2.6 mg/l algae (Selenastrum capricornutum) | LC50: =23.4mg/L (96h, Pimephales rafinesque) | | LC50 (48h) =1.3 mg/l Daphnia magna | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

| Component information | |
|-----------------------------|-----------------------|
| Chemical name | Partition coefficient |
| 2-Hydroxyethyl methacrylate | 0.42 |
| Vinyl Toluene | 3.36 |

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

| Chemical name | PBT and vPvB assessment |
|-----------------------------|---------------------------------|
| 2-Hydroxyethyl methacrylate | The substance is not PBT / vPvB |
| Vinyl Toluene | The substance is not PBT / vPvB |

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 12/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Marine pollutant
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP
14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

 14.1
 UN number or ID number
 Not regulated

 14.2
 Proper Shipping Name
 Not regulated

 14.3
 Transport hazard class(es)
 Not regulated

 14.4
 Packing group
 Not regulated

 14.5
 Environmental hazards
 Not applicable

 14.6
 Special Provisions
 None

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 13/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 14/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value

* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 27-Feb-2023

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Date : 25-06-2024 VVFK(E) : 01/1516429

Rev : A Page : 15/15



| Opgesteld door: NB | Bekrachtigd door: SL |
|--------------------|----------------------|
| | |

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.