Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 1/19



Opgesteld door: NB	Bekrachtigd door: SL

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Productname	Kelfort ® Ontvetter
Article number	1516093
Producttype	Mixture
Regulation	(EC) No. 1907/2006 and (EC) No. 1272/2008

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Professional use
Uses advised against	None known.

### 1.3 Details of the supplier of the safety data sheet

**Distributeur** Ferney Group BV Postbus 24 1700 AA Heerhugowaard – The Netherlands T +31 (0)72-5765000 - F +31 (0)72-5765010 bedrijfsbureau@ferneygroup.nl - www.ferney.nl

### 1.4 Emergency telephone number

Noodtelefoon: +49(0)9366-907126 (ma-do 7.15-18.00 hour) or

: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government

institutions)

Country	Organisation/ Company	Address	Emergency number	Comments
The Netherlands	National Poisons Information Center	House post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	For the sole purpose of informing healthcare professionals in the event of acute poisoning

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 2/19



Opgesteld door: NB	Bekrachtigd door: SL

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

 $\diamondsuit$ 

GHS07

Signal word (CLP) : Warning.

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 3/19



Opgesteld door: NB	Bekrachtigd door: SL

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butoxyethanol substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108- 36	5 – 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
C9-11 PARETH-6	CAS-No.: 68439-46-3 EC-No.: 931-514-1	1 – 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Tetrapotassiumpyrophosphate	CAS-No.: 7320-34-5 EC-No.: 230-785-7 REACH-no: 01-2119489369- 18	1-5	Eye Irrit. 2, H319
Isotridecanol, ethoxylated (8 EO)	CAS-No.: 9043-30-5 EC-No.: 500-027-2 REACH-no: 02-2119552461- 55	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Potassium hydroxide substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	0,1 – 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Citral substance with national workplace exposure limit(s) (IE)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	< 0,01	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	( 0,5 ≤C < 2) Eye Irrit. 2, H319 ( 0,5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 4/19



Opgesteld door: NB	Bekrachtigd door: SL

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 5/19



Opgesteld door: NB	Bekrachtigd door: SL

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 10 – 30 °C

Storage area : Store in a clean, dry, fire resistant area. Ensure that there is a suitable ventilation system.

Special rules on packaging : Store in a closed container. Keep only in original container.

### 7.3. Specific end use(s)

Carefully comply with the instructions for use.

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 6/19



Opgesteld door: NB	Bekrachtigd door: SL

### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

2-Butoxyethanol (111-76-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethanol	
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	246 mg/m³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether]	
OEL TWA [1]	98 mg/m³	
OEL TWA [2]	20 ppm	
OEL STEL	246 mg/m³	
OEL STEL [ppm]	50 ppm	
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
Ireland - Biological limit values		
Local name	2-Butoxyethanol	
BLV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift	

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 7/19



Opgesteld door: NB	Bekrachtigd door: SL

are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol			
United Kingdom - Occupational Exposure Limits  Local name 2-Butoxyethanol  WEL TWA (OEL TWA) [1] 123 mg/m³  WEL TWA (OEL TWA) [2] 25 ppm  WEL STEL (OEL STEL) 246 mg/m³  WEL STEL (OEL STEL) 50 ppm  Remark Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol  BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m²  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m²  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	2-Butoxyethanol (111-76-2)		
Local name    2-Butoxyethanol   123 mg/m²   123 mg/m²   125 ppm   125 ppm   126 ppm	Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)	
WEL TWA (OEL TWA) [1] 123 mg/m³  WEL TWA (OEL TWA) [2] 25 ppm  WEL STEL (OEL STEL) 246 mg/m³  WEL STEL (OEL STEL) 50 ppm  Remark Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol  BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [2] 25 ppm  WEL STEL (OEL STEL) 246 mg/m³  WEL STEL (OEL STEL) [ppm] 50 ppm  Remark Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol  BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Local name	2-Butoxyethanol	
WEL STEL (OEL STEL)  246 mg/m³  WEL STEL (OEL STEL) [ppm]  50 ppm  Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name  2-Butoxyethanol  BMGV  240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name  Potassium hydroxide  OEL STEL  2 mg/m³  Regulatory reference  Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  WEL STEL (OEL STEL)  2 mg/m³  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL STEL (OEL STEL) [ppm] 50 pm  Remark Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol  BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	WEL TWA (OEL TWA) [2]	25 ppm	
Remark  Sk (Can be absorbed through the skin. The assigned substances are those for which are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name  2-Butoxyethanol  BMGV  240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name  Potassium hydroxide  OEL STEL  2 mg/m³  Regulatory reference  Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  WEL STEL (OEL STEL)  2 mg/m³  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	WEL STEL (OEL STEL)	246 mg/m³	
are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  United Kingdom - Biological limit values  Local name 2-Butoxyethanol  BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	WEL STEL (OEL STEL) [ppm]	50 ppm	
United Kingdom - Biological limit values  Local name  2-Butoxyethanol  BMGV  240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name  Potassium hydroxide  OEL STEL  2 mg/m³  Regulatory reference  Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  WEL STEL (OEL STEL)  2 mg/m³  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), BMGV (Biological monitoring guidance values are listed in Table 2)	
Local name  2-Butoxyethanol  BMGV  240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name  Potassium hydroxide  OEL STEL  2 mg/m³  Regulatory reference  Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  United Kingdom - Occupational Exposure Limits  Local name  Potassium hydroxide  WEL STEL (OEL STEL)  2 mg/m³  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
BMGV 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling to Post shift  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m²  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m²  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	United Kingdom - Biological limit values		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Local name	2-Butoxyethanol	
Potassium hydroxide (1310-58-3)  Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Ireland - Occupational Exposure Limits  Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Local name Potassium hydroxide  OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Potassium hydroxide (1310-58-3)		
OEL STEL 2 mg/m³  Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Ireland - Occupational Exposure Limits		
Regulatory reference Chemical Agents Code of Practice 2021  United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Local name	Potassium hydroxide	
United Kingdom - Occupational Exposure Limits  Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	OEL STEL	2 mg/m³	
Local name Potassium hydroxide  WEL STEL (OEL STEL) 2 mg/m³  Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Regulatory reference	Chemical Agents Code of Practice 2021	
WEL STEL (OEL STEL)  Regulatory reference  EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	United Kingdom - Occupational Exposure Limits		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE  Citral (5392-40-5)	Local name	Potassium hydroxide	
Citral (5392-40-5)	WEL STEL (OEL STEL)	2 mg/m³	
	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Ireland - Occupational Exposure Limits	Citral (5392-40-5)		
	Ireland - Occupational Exposure Limits		
Local name Citral	Local name	Citral	
OEL TWA [2] 5 ppm IFV (Inhlable Fraction and Vapour)	OEL TWA [2]	5 ppm IFV (Inhlable Fraction and Vapour)	
Regulatory reference Chemical Agents Code of Practice 2021	Regulatory reference	Chemical Agents Code of Practice 2021	

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 8/19



Opgesteld door: NB	Bekrachtigd door: SL

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			Standard
Safety glasses	Droplet	With side shields	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Carefully comply with the instructions for use. Avoid release to the environment.

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 9/19



Opgesteld door: NB	Bekrachtigd door: SL

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Yellow. Appearance : Clear. Odour : lemon odour. Odour threshold : Not available Melting point : Not available Freezing point : Not available : Not available Boiling point Flammability : Not available Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available : Not available Auto-ignition temperature : Not available Decomposition temperature

Viscosity, kinematic : < 19,324 mm²/s
Viscosity, dynamic : < 20 mPa.s
Solubility : completely soluble.
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 1,035 g/cm³

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 10/19



Opgesteld door: NB	Bekrachtigd door: SL

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

C9-11 PARETH-6 (68439-46-3)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1,6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

2-Butoxyethanol (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301
LD50 oral	1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F
Page : 11/19



Opgesteld door: NB	Bekrachtigd door: SL

Tetrapotassiumpyrophosphate (7320-34-5)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:FMC Non-Definitive Dermal Toxicity Protocol (Number 7), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1,1 mg/l air Animal: rat, Guideline: other:FMC Acute Inhalation Toxicity Protocol Number 27, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:US EPA Toxic Substances Health Effect Test Guidelines, October, 1984; (PB82-232984) Acute Inhalation Toxicity Study., Guideline: other:Commission of the European Communities, Council Directive 67/548/EEC, Annex V, Part B.2.; May 1, 1987, Guideline: other:US EPA Pesticide Assessment Guidelines: Subdivision F, Hazard Evaluation: Human and Domestic Animals, Nov, 1984; 81-3 Acute Inhalation Study
Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
Citral (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
Isotridecanol, ethoxylated (8 EO) (9043-30-5)	· )
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Skin corrosion/irritation	: Not classified pH: 13
Serious eye damage/irritation	: Causes serious eye irritation. pH: 13
,,	Not classified
,	: Not classified : Not classified
Citral (5392-40-5)	. Not classified
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 45 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
C9-11 PARETH-6 (68439-46-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 9 Day Oral Toxicity in Rodents)
2-Butoxyethanol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

**Date** : 12-08-2024 VVFK(E): 12/1516093

Rev : F : 12/19 Page



Opgesteld door: NB	Bekrachtigd door: SL

Tetrapotassiumpyrophosphate (7320-34-5)				
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents)			
Citral (5392-40-5)				
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female			
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)			
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female			
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)			
Aspiration hazard : Not classified				
Kelfort Ontvetter				
Viscosity, kinematic	< 19,324 mm²/s			
2-Butoxyethanol (111-76-2)				
Viscosity, kinematic	3,7 mm²/s			

#### 11.2. Information on other hazards

No additional information available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. : Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

C9-11 PARETH-6 (68439-46-3)				
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)			
EC50 - Crustacea [1]	2,5 mg/l Test organisms (species): Daphnia magna			
EC50 96h - Algae [1]	1,4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
2-Butoxyethanol (111-76-2)				
LC50 - Fish [1] 1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous gairdneri)				
EC50 - Crustacea [1] ≈ 1800 mg/l Test organisms (species): Daphnia magna				
EC50 72h - Algae [1] 911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (pre Raphidocelis subcapitata, Selenastrum capricornutum)				
EC50 72h - Algae [2] 1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous Raphidocelis subcapitata, Selenastrum capricornutum)				
NOEC (chronic) 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'				
NOEC chronic fish > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio re Duration: '21 d'				

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 13/19



Opgesteld door: NB	Bekrachtigd door: SL		

Tetrapotassiumpyrophosphate (7320-34-5)			
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
Potassium hydroxide (1310-58-3)			
LC50 - Fish [1]	80 mg/l		
Citral (5392-40-5)			
LC50 - Fish [1]	6,78 mg/l Test organisms (species): Leuciscus idus		
EC50 - Crustacea [1]	6,8 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1] 103,8 mg/l Test organisms (species): Desmodesmus subspicatus (previous nam Scenedesmus subspicatus)			

## 12.2. Persistence and degradability

Kelfort Ontvetter				
	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.			

## 12.3. Bioaccumulative potential

2-Butoxyethanol (111-76-2)			
Partition coefficient n-octanol/water (Log Pow)	0,81		
Tetrapotassiumpyrophosphate (7320-34-5)			
Partition coefficient n-octanol/water (Log Pow) -10,45			
Potassium hydroxide (1310-58-3)			
Partition coefficient n-octanol/water (Log Pow) 0,75			
Citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow) 2,8			

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

: 12-08-2024 **Date** VVFK(E): 12/1516093

: F Rev **Page** : 14/19



Opgesteld door: NB Bekrachtigd door: SL

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)

Disposal must be done according to official regulations.

Waste treatment methods

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible,

eliminate in accordance with local valid waste disposal regulations. : Avoid release to the environment.

Ecology - waste materials European List of Waste (LoW) code

: 20 01 29\* - detergents containing dangerous substances

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

mber							
illio61	14.1. UN number or ID number						
Not applicable	Not applicable	Not applicable	Not applicable				
14.2. UN proper shipping name							
Not applicable	Not applicable	Not applicable	Not applicable				
14.3. Transport hazard class(es)							
Not applicable	Not applicable	Not applicable	Not applicable				
14.4. Packing group							
Not applicable	Not applicable	Not applicable	Not applicable				
.5. Environmental hazards							
Not applicable	Not applicable	Not applicable	Not applicable				
	Not applicable ass(es) Not applicable Not applicable ards	Not applicable  Not applicable	Not applicable Not applicable Not applicable  ass(es)  Not applicable Not applicable Not applicable  Not applicable Not applicable Not applicable  Not applicable Not applicable Not applicable  ards  Not applicable Not applicable Not applicable				

#### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 15/19



Opgesteld door: NB	Bekrachtigd door: SL		

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Detergent Regulation (648/2004)

### Allergenic fragrances > 0.01 %:

Limonene

Labelling of contents		
Component	%	
anionic surfactants, non-ionic surfactants, phosphates	<5%	
perfumes		
LIMONENE		

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 16/19



Opgesteld door: NB	Bekrachtigd door: SL		

## SECTION 16: Other information

Indication of changes			
Section	Changed item		Comments
		Modified	
		Modified	
7.2	2 Special rules on packaging		
7.2	Storage area	Added	
7.2	Storage temperature	Added	

Indication of changes			
Section Changed item		Change	Comments
7.3	Specific end uses		
8.2	Environmental exposure controls	Modified	

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 17/19



Opgesteld door: NB	Bekrachtigd door: SL

Abbreviations a	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
EC-No.	European Community number		
EN	European Standard		
OEL	Occupational Exposure Limit		
ThOD	Theoretical oxygen demand (ThOD)		
VOC	Volatile Organic Compounds		

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 18/19



Opgesteld door: NB	Bekrachtigd door: SL

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disrupting properties	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Irrit. 2	H319	Annex VI reference classification

: ATP 12

The classification complies with

Date : 12-08-2024 VVFK(E) : 12/1516093

Rev : F Page : 19/19



Opgesteld door: NB	Bekrachtigd door: SL

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.