Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 1/20



Opgesteld door: NB	Bekrachtigd door: SL

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

Productname	Kelfort ® Glaskit UOS 290ML WHITE
Article number	1516321
Producttype	Mixture
Regulation	(EC) No. 1907/2006 and (EC) No. 1272/2008

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant
Uses advised against	Not to be used in articles intended for direct or prolonged skin contact.  Not to be used in production of toys or childcare articles. Fabrics, textiles and apparel: bedding and clothing Gloves footwear (shoes, boots) Paper products: tissue, towels, disposable dinnerware, nappies, feminine hygiene products, adult incontinence products, writing paper

### 1.3 Details of the supplier of the safety data sheet

**Distributeur** Ferney Group BV Postbus 24 1700 AA Heerhugowaard – The Netherlands T +31 (0)72-5765000 - F +31 (0)72-5765010 bedrijfsbureau@ferneygroup.nl - www.ferney.nl

### 1.4 Emergency telephone number

Noodtelefoon: +49(0)9366-907126 (ma-do 7.15-18.00 hour) or

: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government

institutions)

Country	Organisation/ Company	Address	Emergency number	Comments
The Netherlands	National Poisons Information Center	House post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	For the sole purpose of informing healthcare professionals in the event of acute poisoning

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 2/20



Opgesteld door: NB	Bekrachtigd door: SL

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Acute toxicity - Inhalation (Vapours)

Not applicable

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust

EUH210 - Safety data sheet available on request

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 3/20



Opgesteld door: NB	Bekrachtigd door: SL

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Titanium dioxide	(022-006-00- 2) 236-675-5	13463-67-7	1 - <3	[C]	•	01-2119489379- 17-XXXX
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	•	01-2119513215- 52-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <0.5	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1 - <0.5	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

### Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

		according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol	(603-001-00-X)	Acute Tox. 3	STOT SE 1 ::	-	-	01-2119433307-

<sup>[</sup>C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 4/20



Opgesteld door: NB	Bekrachtigd door: SL

67-56-	1 200-659-6	(H301)	C>=10%		44-XXXX
		Acute Tox. 3	STOT SE 2 ::		
		(H311)	3%<=C<10%		
		Acute Tox. 3			
		(H331)			
		STOT SE 1			
		(H370)			
		Flam. Liq. 2			
		(H225)			

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Never give anything by mouth to an unconscious person.

Small amounts of toxic methanol are released by hydrolysis. Rinse mouth thoroughly

with water.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 5/20



Opgesteld door: NB	Bekrachtigd door: SL

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

chemical

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide.

#### 5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 6/20



Opgesteld door: NB Bekrachtigd door: SL

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

#### Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing This product contains titanium dioxide in a non-respirable form. Inhalation of

titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	* *	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Dioctyltin oxide	-	TWA: 0.1 mg/m <sup>3</sup>
870-08-6		STEL: 0.2 mg/m <sup>3</sup>
	1	Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 7/20

Long term Systemic health effects



S			
Opgesteld door: NB		Bekrachtigd door: SL	
L			
Derived No Effect Level (DNE	EL) No information availab	ble	
Derived No Effect Level (DNE	EL)		
Titanium dioxide (13463-67-7			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	10 mg/m³	
Long term			
Local health effects			
Trimethoxyvinylsilane (2768-			0.1.1.1
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	27,6 mg/m³	
Systemic health effects Long term			
worker	Dermal	3,9 mg/kg bw/d	
Systemic health effects			
Long term			
Dia/2.2.6.6 totromothyl 4 min	aridul) ashasata (F2820 07	(0)	
Bis(2,2,6,6-tetramethyl-4-pipe		Derived No Effect Level	Cafety factor
Туре	Exposure route	(DNEL)	Safety factor
worker	Inhalation	2.82 mg/m³	
Short term			
Long term Systemic health effects			
worker	Dermal	1.6 mg/kg	
Long term			
Systemic health effects			
Dioctyltin oxide (870-08-6)	F	Deduct No Effect Level	O of a traffic at a second
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	
worker	Dermal	0.05 mg/kg bw/d	
Long term	Soma	o.oo mgmg bu/a	
Systemic health effects			
worker	Inhalation	0.004 mg/m <sup>3</sup>	
Long term			
Systemic health effects			
Derived No Effect Level (DNI			
Titanium dioxide (13463-67-7	7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Oral	700 mg/kg bw/d	

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 8/20



Opgesteld door: NB	Bekrachtigd door: SL

Trimethoxyvinylsilane (2768-	-02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Bis(2,2,6,6-tetramethyl-4-piperidy	) sebacate (52829-07-9)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	0.8 mg/kg	
Consumer Long term Systemic health effects	Oral	0.4 mg/kg	

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Oral	0.0005 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Dermal	0.025 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Inhalation	0.0009 mg/m <sup>3</sup>	
Long term			
Systemic health effects			

## Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

: 02-07-2024 Date VVFK(E): 02/1516321

: G Rev **Page** : 9/20



Opgesteld door: NB	Bekrachtigd door: SL

Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

#### 8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

> Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection

None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls 
Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance

See section 1 for more information Colour

Odour Characteristic.

Property Values Remarks • Method

Melting point / freezing point No data available None known No data available None known Initial boiling point and boiling range

No data available None known Flammability

None known Flammability Limit in Air

**Date** : 02-07-2024 VVFK(E) : 02/1516321

Rev : G : 10/20 **Page** 



Opgesteld door: NB	Bekrachtigd door: SL

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

> 60 °C Flash point

No data available Autoignition temperature None known

None known

Decomposition temperature

pH (as aqueous solution) No data available None known

> 21 mm<sup>2</sup>/s Kinematic viscosity

Dynamic viscosity No data available No information available

Water solubility No data available. Product cures with

moisture

Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

**Bulk Density** No data available

**Liquid Density** 1.53

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

No data available VOC content

#### 9.2.1. Information with regards to physical hazard classes

Not applicable

### 9.2.2. Other safety characteristics

No information available

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 11/20



Opgesteld door: NB Bekrachtigd door: SL

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 12/20



Opgesteld door: NB	Bekrachtigd door: SL

## SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 >5000 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 >5 mg/l

 ATEmix (inhalation-vapour)
 885.50 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m3 (Rattus) 4 h	
dyl) sebacate	OECD 423	OECD 402		
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-	
		OECD 402		

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

#### Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 13/20

Method OECD Test No. 406: Skin

Sensitisation

Species Guinea pig



Opgesteld door: NI	)		Dalzrachtiad	door: CI		
opgesteid door. Ni	0		Bekrachtigd	door: SL		
cute Dermal ritation/Corrosion						
imethoxyvinylsilane (2	768-02-7)	'		_		•
ethod	Species	Exposure route	Effective dose	Exposure	time	Results
otilou	Rabbit	Dermal	0.5 mL	24 hours	timo	Non-irritant
- (0, 0, 0, 0, to to one of the d. 4	n in a right dive	-bt- (50000 07 0)	•	•		•
is(2,2,6,6-tetramethyl-4 lethod	Species	ebacate (52829-07-9) Exposure route	Effective dose	Exposure	time	Results
ECD Test No. 404:	Rabbit	Dermal	Ellective dose	Exposure	une	Non-irritant
cute Dermal	Nabbit	Demai				Non-imani
rious eye damage/ey	e irritation	Based on available data,	the classification crite	eria are not m	et.	
tanium dioxide (13463-						
ethod	Species	Exposure route	Effective dose	Exposure	time	Results
ECD Test No. 405:	Rabbit	Eye				Non-irritant
cute Eye						
itation/Corrosion						
imethoxyvinylsilane (2	768-02-7)					
lethod	Species	Exposure route	Effective dose	Exposure	time	Results
ECD Test No. 405:	Rabbit	eye		24 hours		Non-irritant
cute Eye ritation/Corrosion						
Intation/Corrosion						
is(2,2,6,6-tetramethyl-4						
lethod	Species	Exposure route	Effective dose	Exposure	time	Results
ECD Test No. 405:	Rabbit	eye				Eye Damage
cute Eye						
ritation/Corrosion						
espiratory or skin ser	nsitisation	OECD Test No. 406: Skin classification is proposed, susceptible persons.				
roduct Information						
Method		Species	Exposure	route		Results
OECD Test No. 40		Guinea pig	Derma	al		nsitisation response
Sensitisation	1					were observed
tanium dioxide (13463-	-67-7)	r				
lethod		Species	Exposure route		Results	
ECD Test No. 406: Ski ensitisation		Guinea pig	Dermal		Not a sk	kin sensitiser
ECD Test No. 429: Ski		Mouse	Dermal		Not a sk	kin sensitiser
ensitisation: Local Lym ssay	ph Node					
	760 02 7\		_			
rimethoxyvinylsilane (2) lethod		Species	Exposure route		Results	
DECD Test No. 406: Ski		Guinea pig	Dermal		sensitisi	
Sensitisation, Buehler te		- India pig	Johnal		- or rottrol	9
in/2.2.6.6 totromothy 1.4	ninoridal) -	obacata (52020 07.0)				
is(2,2,6,6-tetramethyl-4		Species (52829-07-9)			Regulte	

Exposure route

Results

were observed

No sensitisation responses

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 14/20



Opgesteld door: NB	Bekrachtigd door: SL

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		'

#### STOT - single exposure

Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Timother, The John Co. Co.						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL	
Sub-chronic Inhalation						
Toxicity: 90-day Study						

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 15/20



Opgesteld door: NB	Bekrachtigd door: SL

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 16/20



Opgesteld door: NB	Bekrachtigd door: SL

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	•	-	•		
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9	0.705 mg/l	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric	_		biodegradable
Respirometry Test (TG 301 F)			_

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate
<ul> <li>Aerobic Sewage Treatment A:</li> </ul>			
Activated Sludge Units; B: Biofilms			

Dioctyltin oxide (870-08-6)

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 17/20



Opgesteld door: NB	Bekrachtigd door: SL

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

#### 12.3. Bioaccumulative potential

#### Bioaccumulation

Component Information

Chemical name Partition coefficient		
Trimethoxyvinylsilane	1.1	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35	
Dioctyltin oxide	6	

#### 12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
Titanium dioxide The substance is not PBT / vP	
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 18/20



Opgesteld door: NB	Bekrachtigd door: SL

### SECTION 14: Transport information

#### Land transport (ADR/RID)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
Not regulated
Not regulated
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

#### IMDG

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP

14.6 Special precautions for user Special Provisions None

14.7 Maritime transport in bulk

according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 19/20



Opgesteld door: NB	Bekrachtigd door: SL

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

20 (6) DOT.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Dioctyltin oxide	I.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable Persistent Organic Pollutants

Not applicable

National regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 20/20



Opgesteld door: NB	Bekrachtigd door: SL

#### SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Notes relating to the identification, classification and labelling of substances

Note V: If the substance is to be placed on the market as fibres (with diameter < 3 μm, length > 5 μm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

**Note W:** It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

### Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value

\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 13-Sep-2023

Indication of changes

Revision note Not applicable.

Training Advice No information available
Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Date : 02-07-2024 VVFK(E) : 02/1516321

Rev : G Page : 21/20



Opgesteld door: NB	Bekrachtigd door: SL

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.