Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 1/14



Opgesteld door: NB	Bekrachtigd door: SL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Productname	Kelfort ® Pur schuim
Article number	1516202,1516217
Regulation	(EC) No. 1907/2006 and (EC) No. 1272/2008

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	No further relevant information available	
Uses advised against	None known.	

1.3 Details of the supplier of the safety data sheet

Distributeur Ferney Group BV Postbus 24 1700 AA Heerhugowaard – The Netherlands T +31 (0)72-5765000 - F +31 (0)72-5765010 bedrijfsbureau@ferneygroup.nl - www.ferney.nl

1.4 Emergency telephone number

Noodtelefoon: +49(0)9366-907126 (ma-do 7.15-18.00 hour) or

: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government

institutions)

Country	Organisation/ Company	Address	Emergency number	Comments
The Netherlands	National Poisons Information Center	House post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	For the sole purpose of informing healthcare professionals in the event of acute poisoning

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 2/14



Opgesteld door: NB	Bekrachtigd door: SL

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Acute Tox. 4	H332	Harmful if inhaled.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 2	H351	Suspected of causing cancer.
STOT SE 3	H335	May cause respiratory irritation.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements


The product is classified and labelled according to the GB CLP regulation.

Labelling according to Regulation (EC) No 1272/2008

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 3/14



· Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

· Contains:

diphenylmethanediisocyanate, isomers and homologues

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H332 Harmful if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 In case of inadequate ventilation wear respiratory protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· Supplemental information:

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

· feica.eu/PUinfo:





- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
 vPvB: Not applicable.
- Determination of endocrine-disrupting properties

CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate

List II

Kelfort[®]

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 4/14



Opgesteld door: NB	Bekrachtigd door: SL

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Active substance with propellant

· Dangerous components:		
CAS: 9016-87-9 EC number: 618-498-9	diphenylmethanediisocyanate, isomers and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 %	30-<50%
CAS: 1244733-77-4 EC number: 807-935-0 Reg.nr.: 01-2119486772-26-xxxx	tris(2-chloro-1-methylethyl)phosphate Acute Tox. 4, H302; Aquatic Chronic 3, H412	10-<20%
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-<20%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%
CAS: 9082-00-2	Ethoxylated/propoxylated glycerol Acute Tox. 4, H302	5-<10%
CAS: 25791-96-2 NLP: 500-044-5	Glycerol, propoxylated Acute Tox. 4, H302	5-<10%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-<5%

- · EU SVHC see Section 15
- · GB SVHC see Section 15
- Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: Carbon dioxide (CO2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Take affected persons out of danger area and lay down.
- After inhalation:


Supply fresh air and to be sure call for a doctor.


In case of unconsciousness place patient stably in side position for transportation.

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 5/14





Immediately wash with water and soap and rinse thoroughly. Immediately remove all soiled and contaminated clothing If symptoms persist consult doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Information for doctor: No further relevant information available.
- · 4.2 Most important symptoms and effects, both acute and delayed

Harmful if inhaled.

Irritating to eyes, respiratory system and skin.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN)

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.


See Section 13 for disposal information.



Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 6/14





SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Avoid breathing vapours/spray.

Wear suitable protective clothing and gloves.

The usual precautionary measures are to be adhered to when handling chemicals.

Information about fire - and explosion protection:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Do not spray onto a naked flame or any incandescent material.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Store away from water.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Do not seal receptacle gas tight.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

_	· Ingredients with limit values that require monitoring at the workplace:			
CAS:	CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues			
	WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO			
CAS:	CAS: 115-10-6 dimethyl ether			
	Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm			

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 7/14



Opgesteld door: NB	Bekrachtigd door: SL

· PNECs	· PNECs		
CAS: 9	CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
PNEC	1 mg/L (fresh water)		
	10 mg/L (intermittent release)		
	0.1 mg/L (salt water)		
CAS: 1	244733-77-4 tris(2-chloro-1-methylethyl)phosphate		
PNEC	0.64 mg/L (fresh water)		
	0.064 mg/L (marine)		
PNEC	1.7 mg/kg dwt (soil)		
	1.34 mg/kg dwt (sediment (salt water))		
CAS: 1	15-10-6 dimethyl ether		
PNEC	0.155 mg/L (fresh water)		
	160 mg/L (sewage treatment plant)		
	1.549 mg/L (intermittent release)		
	0.016 mg/L (salt water)		
PNEC	0.045 mg/kg (soil)		
	0.069 mg/kg (sediment (salt water))		

- Ingredients with biological limit values:
- Additional Occupational Exposure Limit Values for possible hazards during processing:

While curing the following substances are formed and released by a reaction with atmospheric humidity: Carbon dioxide (CO2)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Ensure that washing facilities are available at the work place.

Avoid contact with the eyes and skin.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.


This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 8/14



Kelfort[®]

· Hand protection



Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

· Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Aerosol

· Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.

Melting point/freezing point: Not applicable, as aerosol.

Undetermined.

· Flammability Not applicable.

· Lower and upper explosion limit

* Lower: 1.8 Vol % (CAS: 75-28-5 isobutane) * Upper: 18.6 Vol % (CAS: 115-10-6 dimethyl ether)

· Flash point: -97 °C

· Decomposition temperature: Not determined.

• pH Mixture reacts violently with water.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 9/14



Opgesteld door: NB	Bekrachtigd door: SL

Solubility

· water: Immiscible / difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 5,200 hPa (CAS: 115-10-6 dimethyl ether)

· Density and/or relative density

Density at 20 °C:
Relative density
Vapour density

0.98 g/cm³
Not determined.
Not determined.

9.2 Other information

· Appearance:

· Form: Aerosol

· Important information on protection of health

and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EU)
 · VOC (EC)
 · Evaporation rate
 208.4 g/l
 21.27 %
 Not applicable.

Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

 Oxidising gases Void Void · Gases under pressure · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable


Substances and mixtures, which emit flammable gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals

· Desensitised explosives Void

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 10/14



Kelfort[®]

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity

Harmful if inhaled.

	· LD/LC50 values relevant for classification:		
	CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
	Oral	LD50	>10,000 mg/kg (rat)
	Dermal	LD50	>10,000 mg/kg (rabbit)
			1.5 mg/L (rat)
	CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate		
			>500 mg/kg (rat)
	CAS: 115-10-6 dimethyl ether		
			308 mg/L (rat)
CAS: 9082-00-2 Ethoxylated/propoxylated glycerol		oxylated/propoxylated glycerol	
Г	Oral	LD50	>500 mg/kg (rat)
	Dermal	LD50	>2,000 mg/kg (rabbit)
CAS: 25791-96-2 Glycerol, propoxylated		ycerol, propoxylated	
	Oral	LD50	1,999 mg/kg (rat)
	01:		

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 11/14



Opgesteld door: NB Bekrachtigd door: SL

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disruptir	ng properties	
CAS: 1244733-77-4	tris(2-chloro-1-methylethyl)phosphate	List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
1	>1,000 mg/L (brachydanio rerio)	
EC50/24 h >1,000 mg/L (daphnia magna)		
CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate		
LC50/96 h	51 mg/L (pimephales promelas)	
EC50/48 h	131 mg/L (daphnia magna)	
EC50/96 h	131 mg/L (daphnia magna)	
CAS: 9082-00-2 Ethoxylated/propoxylated glycerol		
LC50/48 h	>100 mg/L (brachydanio rerio)	
EC50/48 h	>100 mg/L (daphnia magna)	
EC50/72 h	>1,000 mg/L (scenedesmus capricornutum)	

- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is not easily biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

Ecotoxical effects:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

· Other information:

This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 12/14



Opgesteld door: NB Bekrachtigd door: SL

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Do not pierce or burn, even after use.

· European waste catalogue		
16 05 0	4* gases in pressure containers (including halons) containing hazardous substances	
08 05 0	1* waste isocyanates	

- Uncleaned packaging:
- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name · ADR	1950 AEROSOLS 1950 AEROSOLS	
· IMDG · IATA	AEROSOLS AEROSOLS, flammable	
44.0 =		

- · 14.3 Transport hazard class(es)
- · ADR



2 5F Gases. 2.1

· Label

· IMDG, IATA



2.1 Gases. · Class · Label 2.1

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 13/14



Opgesteld door: NB	Bekrachtigd door: SL

· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Code · Segregation Code	Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according to IMC	
	Not applicable.
· Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0
Transport category Tunnel restriction code	Not permitted as Excepted Quantity 2 D
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended)

Date : 17-07-2024

VVFK(E): 99/1516202,1516217

Rev : J Page : 14/14



Opgesteld door: NB	Bekrachtigd door: SL

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 The Endocrine Disruptor Lists I, II, III (www.edlists.org)

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a, 74
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Other regulations, limitations and prohibitive regulations No further relevant information available.
- Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.
- Substances of very high concern (SVHC) according to UK REACH Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.