according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Version (Revision) : Print date :

4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

4TECX Dekkende Voorstrijk 4003900278, -279

1.2 Relevant identified uses of the substance or mixture and uses advised against Wallpaint

1.3 Details of the supplier of the safety data sheet

Supplier:

Zevij-Necomij B.V.

Street : Postbus 447

Postal code/City: 4900 AK Oosterhout

Telephone : 0162-426917

Telefax : 0162-432553

Information contact : msds@globalpaint.com

1.4 Emergency telephone number

Nationaal Vergiftigingen Informatie Centrum: 088-7558000; Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

Classification procedure Calculation method.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements P102 Keep out of

P102	Keep out of reach of children.
P103	Read label before use.

Special rules for supplemental label elements for certain mixtures

EUH208	Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACTION MASS OF: 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1). May produce an
	allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

KIESELGUHR, SODA ASH FLUX-CALCINED ; EC No. : 272-489-0; CAS No. : 68855-54-9 Weight fraction : ≥ 2,5 - < 10 % Classification 1272/2008 [CLP] : STOT RE 2 ; H373 1,2-BENZISOTHIAZOL-3(2H)-ONE ; EC No. : 220-120-9; CAS No. : 2634-33-5

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

	40
Revision date :	13
Version (Revision) :	9.0
Print date :	18

4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



Weight fraction :	≥ 0,005 - < 0,05 %
Classification 1272/2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400
Specific Conc. Limits :	Skin Sens. 1 ; H317: C ≥ 0,05 %
REACTION MASS OF: 5-CHLORO-2-M No. : 55965-84-9	ETHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS
Weight fraction :	≥ 0,00015 - < 0,0015 %
Classification 1272/2008 [CLP] :	Acute Tox. 2 ; H310 Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Skin Corr. 1C ; H314 Eye Dam. 1 ; H318 Skin Sens. 1A ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 EUH071
Specific Conc. Limits :	Eye Dam. 1 ; H318: $C \ge 0,6 \%$ • Skin Corr. 1C ; H314: $C \ge 0,6 \%$ • Eye Irrit. 2 ; H319: $C \ge 0,06 \%$ • Skin Irrit. 2 ; H315: $C \ge 0,06 \%$ • Skin Sens. 1A ; H317: $C \ge 0,0015 \%$ • (M=100)

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO2) Extinguishing powder Water mist

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)

Page : 2 / 9

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Version (Revision) : Print date : 4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



5.3 Advice for firefighters

Cool endangered containers with water in case of fire. Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not inhale the vapour. See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Clear spills immediately. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean with detergents. Avoid solvent cleaners.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. When using do not eat, drink, smoke. See chapter 8 of the safety data sheet (Personal protection equipment) Never use pressure to empty container. Keep/Store only in original container. Comply with the health and safety at work laws. Do not allow to enter groundwater, surface water or drains, even not in small quantities.

7.2 Conditions for safe storage, including any incompatibilities

Packaging materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Store between +5 and 35 °C in a dry, well ventilated place away from sources of heat and direct sunlight. When using do not smoke. Only allow access to authorised staff. Prevent leaks and prevent soil / water pollution caused by leaks.

7.3 Specific end use(s)

Recommendation

None

Industrial sector specific solutions

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Version (Revision) : Print date : 4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



Personal protection equipment

Eye/face protection

Suitable eye protection Use tightly fitting safety glasses.

Skin protection

Hand protection

Use protective gloves.

Suitable material : NBR (Nitrile rubber)

Required properties : EN ISO 374

Breakthrough time : 480 min

Thickness of the glove material : ±0.1 / 0.4 mm

Additional hand protection measures : Check protective gloves before each use concerning their normal condition. Use skin cleaning and skin care products after using the gloves.

Body protection

Body protection: not required.

Respiratory protection

By spraying: air fed respirator. By other operations than spraying: in well ventilated areas, airfed respirators could be replaced by a combination of charcoal filter and particulate filter mask.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

PCN Colour : white				
Safety characteristics				
Physical state :			Liquid	
Colour :			white	
Odour :			Noticeable.	
Odour threshold :			No data available	
рН :			7 - 9	
Melting point/freezing point :			No data available	
Initial boiling point and boiling range :	(1013 hPa)		100	°C
Flash point :		>	100	°C
Vapourisation rate :			No data available	
Flammability :			No data available	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Vapour pressure :	(20 °C)		No data available	
Relative vapour density :	(20 °C)		No data available	
Density :	(20 °C)		1,35 - 1,45	g/cm ³
Water solubility :	(20 °C)		100	Weight-%
log P O/W :			No data available	
Auto-ignition temperature :			No data available	
Decomposition temperature :			No data available	
Viscosity :	(20 °C)	approx.	22500	mPa*s
Explosive properties :			No data available	
Oxidising properties :			No data available	

The product has not been tested on the properties that are listed on the safety data sheet as "No data available".

9.2 Other information

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

 Revision date :
 13.12.2022

 Version (Revision) :
 9.0.0 (8.0.0)

 Print date :
 18-09-2023

4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023 <u>4tecx</u>°

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions(See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Carbon dioxide. Carbon monoxide Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute oral toxicity	
Parameter :	LD50 (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)
Exposure route :	Oral
Species :	Rat
Effective dose :	675,3 mg/kg
Parameter :	LD50 (REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9)
Exposure route :	Oral
Species :	Rat
Effective dose :	0,33 mg/l
Exposure time :	4 h
Acute dermal toxicity	
Parameter :	LD50 (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 5000 mg/kg

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

Avoid release to the environment. Refer to special instructions/safety data sheet.

12.1 Toxicity

LC50 (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)
Oncorhynchus mykiss (Rainbow trout)
1,9 mg/l

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

 Revision date :
 13.12.2022

 Version (Revision) :
 9.0.0 (8.0.0)

 Print date :
 18-09-2023

4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



Fundational History		
Exposure time :	96 h	
Parameter :	LC50(REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1);CAS No. : 55965-84-9)	
Species :	Oncorhynchus mykiss (Rainbow trout)	
Effective dose :	0,19 mg/l	
Exposure time :	96 h	
Acute (short-term) toxicity	to crustacea	
Parameter :	EC50 (REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9)	
Species :	Daphnia magna (Big water flea)	
Effective dose :	0,16 mg/l	
Exposure time :	48 h	
	to algae and cyanobacteria	
Parameter :	ErC50 (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)	
Species :	Pseudokirchneriella subcapitata	
Effective dose :	0,8 mg/l	
	72 h	
Exposure time :		
Method :		
Parameter :	ErC50(1,2-BENZISOTHIAZOL-3(2H)-ONE;CAS No.: 2634-33-5)	
Species :	Skeletonema costatum	
Effective dose :	0,15 mg/l	
Exposure time :	72 h	
Parameter :	NOEC (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)	
Species :	Pseudokirchneriella subcapitata	
Effective dose :	0,21 mg/l	
Exposure time :	72 h	
Method :	OECD 201	
Parameter :	NOEC (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5)	
Species :	Skeletonema costatum	
Effective dose :	0,36 mg/l	
Exposure time :	72 h	
Method :	OECD 201	
Parameter :	EC50(REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2- METHYL-2H -ISOTHIAZOL-3-ONE (3:1);CAS No. : 55965-84-9)	
Species :	Pseudokirchneriella subcapitata	
Effective dose :	0,027 mg/l	
Exposure time :	72 h	
12.2 Persistence and degrad	ability	
Biodegradation		
Parameter :	Biodegradation (1,2-BENZISOTHIAZOL-3(2H)-ONE; CAS No.: 2634-33-5)	
Inoculum :	Biodegradation	
Degradation rate :	24 %	
Test duration :	28 D	
Method :	OECD 301B	
12.3 Bioaccumulative potent	ial	
Parameter :	Partition coefficient n-octanol/water (log value) (1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS	
	No. : 2634-33-5) Partition coefficient n-octanol/water (log value)	
Value :		
	1,19	
12.4 Mobility in soil		
No information available.		
12.5 Results of PBT and vPv	3 assessment	
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.		
	,	
	Page: 6/9	

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Version (Revision) : Print date : 4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Avoid release to the environment. Refer to special instructions/safety data sheet. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Uncleaned packaging must be disposed of in the same manner as the medium.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

- 14.5 Environmental hazards
 - No dangerous good in sense of these transport regulations.
- 14.6 Special precautions for user

None

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

EU limit value for this product (cat. A/a): 30 g/l (2010). This product contains less than 30 g/l VOC.

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 75

National regulations

Geen/zeer weinig oplosmiddel; voldoet voor professioneel gebruik binnen aan arbo

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 15. Restrictions on use

16.2 Abbreviations and acronyms

according to Regulation (EC) No. 1907/2006 (REACH) 4TECX Dekkende Voorstrijk

> 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023

Trade name :

Revision date :	
Version (Revision) :	
Print date :	



ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US) CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC50 = Median effective concentration EINECS = European Inventory of Existing Commercial Chemical Substance ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EWC = European Waste Catalogue IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG = International Maritime Dangerous Goods Code IMO = International Maritime Organization LC50 = Concentration required to kill 50% of test organisms LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level MRL = Maximum Residue Limit NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level OEL = Occupational Exposure Limits PBT = Persistent, Bioaccumulative or Toxic PNEC = Predicted Non Effect Concentration STEL = Short-Term Exposure Limit TWA = Time-Weighted Average vPvB = Very Persistent and Very Bioaccumulative 16.3 Key literature references and sources for data None Classification for mixtures and used evaluation method according to regulation (EC) 16.4 No 1272/2008 [CLP] No information available. 16.5 Relevant H- and EUH-phrases (Number and full text) H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 EUH071 Corrosive to the respiratory tract. 16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name :

Revision date : Version (Revision) : Print date : 4TECX Dekkende Voorstrijk 4003900278, -279 13.12.2022 9.0.0 (8.0.0) 18-09-2023



mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.